

- Preliminary note
- Statistics
- ISO 13232
- Safety elements
- Research

- Preliminary note
- Statistics
- ISO 13232
- Safety elements
- Research



Fascination Motorcycle













Risks



Risks




- Preliminary note
- Statistics
- ISO 13232
- Safety elements
- Research



Statistics

Killed Motorcycle Riders in Germany 1979-2001



Ouelle: Statistisches Bundesamt 2003


Statistics

Killed Motorcycle Riders per 1 Billion km in Germany



Quelle: Statistisches Bundesamt 200

Accident Research at BMW



Seite 11 / 42

International Accident Research



(German In Depth Accident Studie)

- -VDA (Verband Deutscher Automobilhersteller)
- -Region: Hannover, Dresden
- -financial support from BMW







(Motorcycle Accident In Depth Studie)

- -Region: 5 countries
- -Chairman of the MEG (Motorcycle Expert Group)
- financial support from BMW



- Preliminary note
- Statistics
- ISO 13232
- Safety elements
- Research



ISO 13232

ISO 13232

Part 1: Definitions, symbols, and general considerations

Part 2: Definitions of impact conditions in relation to accid. data

Part 3: MATD

Part 4: Variables to be measured, instrumentation and measurement procedures


Part 5: Injury indices and risk benefit anal

Part 6: FS impact test prodedures

Part 7: Computer Simulation

Part 8: Documentation and report





- Preliminary note
- Statistics
- ISO 13232
- Safety elements
- Research



BMW Motorrad R. Pfeifer 04.2005 Seite 15 / 42

Safety elements Motorcycle Body / Engine





Boxer engine : Leg protection in side collision



Front wheel steering: marginal nodding while braking

General : defined Crash behaviour, no splinting parts, no sharp edges

BMW Motorrac R. Pfeifer 04.2005 Seite 16 / 42

Safety elements crash optimized Windshield




Releasing mechanism for motorcycle windshield
 ⇒ reduction of injury risk

BMW Motorrad R. Pfeifer 04.2005 Seite 17 / 42

Safety elements Windbreak & weather protection





- Reduced hypothermia
- Reduced wetting
- Increased visibility conditions
 - ⇒ increased reactivity
 - ⇒ less fatigue

R. Pfeifer 04.2005 Seite 18 / 42

Safety elements Ergonomics / Controls



- Intuitive controls
- No distraction
 - ⇒ Increased reactivity

R. Pfeifer 04.2005 Seite 19 / 42

Safety elements Heated Handle Bar



- Reduced hypothermia
 - ⇒ Increased reactivity

R. Pfeifer 04.2005 Seite 20 / 42

Safety elements Conspicuity











- Improved headlight systems
 - ⇒ Reduce the risk to be overlooked by car drivers

BMW Motorrac R. Pfeifer 04.2005 Seite 21 / 42

Safety elements Ergonomics / comfortable seating



- Comfortable seating even during long tours
- No fatigue
- No "bloodless" body parts
 - ⇒ Increased reactivity